EXPLORE

(\$) BUILD & PRICE

COMPETITIVE COMPARISON

MODELS



PACKAGE

Premium

- F SPORT DESIGN
- Luxury
- F SPORT 2
- Ultra Luxury

AVAILABLE EXTERIOR COLOURS

Iridium

Caviar

Eminent White Pearl

Nightfall Mica

Moonbeam Beige Metallic

Sunlit Green

Cloudburst Grey

Matador Red Mica

Ultra White

AVAILABLE INTERIOR COLOURS

Palomino with Brown Open-Pore Wood Trim NuLuxe™

Black with Black Open-Pore Wood Trim Semi-Aniline Leather

Black with Hadori Aluminum Trim F SPORT NuLuxe $^{\mathsf{TM}}$

Black with Black Open-Pore Wood Trim NuLuxe™

Macadamia with Ash Bamboo Trim Semi-Aniline Leather

Palomino with Brown Open-Pore Wood Trim Semi-Aniline Leather

Circuit Red with Hadori Aluminum Trim F SPORT NuLuxe™







EXPLORE

(\$) BUILD & PRICE

COMPETITIVE COMPARISON

OPTIONAL PACKAGES

ES 300H

LUXURY

- Adaptive Front Lighting System
- 18" Alloy Wheels
- 4-way Power Adjustable Driver Seat Lumbar Support
- Wallet Size Smart Key

- Premium Triple-Beam LED Headlamps
- Ambient Lighting
- Drivers Seat Power Cushion Extender

- P235/45R18
- Semi-Aniline Leather Seats
- Power Rear Window

F SPORT DESIGN

• P235/40R19

• 19" F SPORT Alloy Wheels

F SPORT 2

- Adaptive Front Lighting System
- 19" F SPORT Alloy Wheels
- 10-in. color Head-Up Display (HUD) with customizable settings
- 3-Spoke F SPORT Steering Wheel
- Sport-tuned Suspension
- ULTRA LUXURY
- Adaptive Front Lighting System
- 18" Alloy Wheels
- 17 Speakers
- Semi-Aniline Leather Seats
- Rear Door Sunshade
- Power Open/Close Trunk with Kick Sensor

- Premium Triple-Beam LED Headlamps
- Mark Levinson Premium Surround Sound Audio System
- 8-in. colour TFT Multi Information Display
- F SPORT Shift Knob
- Adaptive Variable Suspension (AVS)

- P235/40R19
- 17 Speakers
- F SPORT Nuluxe[™] Seats
- Aluminum Door Trim
- Panoramic View Monitor
- Premium Triple-Beam LED Headlamps
- Noise Reduction Wheels
- 10-in. color Head-Up Display (HUD) with customizable settings
- 4-way Power Adjustable Driver Seat Lumbar Support
- Power Rear Window
- Panoramic View Monitor

- P235/45R18
- Mark Levinson Premium Surround Sound Audio System
- Ambient Lighting
- Drivers Seat Power Cushion Extender
- Wallet Size Smart Key

EXPLORE

(\$) BUILD & PRICE

STANDARD SPECIFICATIONS Standard — Not Available ^ Available	ES 300h
EXTERIOR	
EXTERIOR	
Power Slide / Tilt Moonroof	•
Colour-keyed Rear Spoiler	•
EXTERIOR LIGHTING	
Adaptive Front Lighting System	^
Premium Triple-Beam LED Headlamps	^
Daytime Running Lights	•
LED Rear Combination Lamps	•
Bi-Beam LED Headlamps	•
EXTERIOR MIRRORS	
Power Folding Mirrors	•
Memory Mirrors	•
Reverse Auto Tilt Mirrors	•
TIRES	
T155/70D17	•
P235/40R19	^
Temporary Spare Tire	•
P215/55R17	•
P235/45R18	^
WHEELS	
Wheel Locks	•
19" F SPORT Alloy Wheels	^
17" Alloy Wheels	•
18" Alloy Wheels	^
Noise Reduction Wheels	^
WIPERS	
Windshield Wiper Deicer	•
Rain Sensing Wipers	•
INFOTAINMENT	
ENFORM AUDIO	
Mark Levinson Premium Surround Sound Audio System	^
17 Speakers	^
2 USB Audio Inputs	•
Audio Auxiliary Input Jack	•
Shark Fin Antenna	•

EXPLORE

(\$) BUILD & PRICE

STANDARD SPECIFICATIONS	ES 300h	
● Standard — Not Available	<u>_</u>	
SiriusXM Satellite Radio	•	
10 Speakers	•	
Bluetooth Capability	• 	
12.3" Touch Screen	•	
LEXUS INTERFACE		
Wireless Apple CarPlay Compatability	•	
Wireless Android Auto Compatability	•	
Lexus Assistant	•	
Lexus Interface with Safety Connect (up to 10 yr. trial), Service Connect (up to 10 yr. trial), Remote Connect (3 yr. trial) and Drive Connect (3 yr. trial)	•	
INTERIOR		
CLIMATE CONTROL		
Rear Passenger Vents	•	
Dual-zone Automatic Climate Control	•	
Humidity Sensor	•	
Dust, Pollen, Deodorizing Air Filter	•	
INSTRUMENTATION		
10-in. color Head-Up Display (HUD) with customizable	^	
settings 8-in. colour TFT Multi Information Display	^	
7" Multi-information Display (MID)	•	
	-	
INTERIOR MIRRORS		
Auto-Dimming Rear View Mirror	•	
SEATS		
8-way Power Adjustable Drivers Seat	•	
8-way Power Adjustable Passenger Seat	•	
Heated Front Seats	•	
Ventilated Front Seats	•	
F SPORT Nuluxe™ Seats	^	
Lexus Driver Memory System	•	
2-way Power Adjustable Driver and Passenger Lumbar Support	•	
NuLuxe™ Seats	•	
Semi-Aniline Leather Seats	^	
4-way Power Adjustable Driver Seat Lumbar Support	^	
Drivers Seat Power Cushion Extender	^	
STEERING WHEEL		
Power Tilt & Telescopic Steering with Memory	•	
3-Spoke F SPORT Steering Wheel	^	
		-

EXPLORE

(\$) BUILD & PRICE

STANDARD SPECIFICATIONS	
● Standard — Not Available	ES 300h
Leather Wrapped Steering Wheel	•
Wood Steering Wheel	•
Heated Steering Wheel	•
TRIM	
F SPORT Shift Knob	^
Aluminum Door Trim	^
Leather Wrapped Shift Knob	•
Wood Door Trim	•
TRUNK/CARGO	
Cargo Net	•
WINDOWS	
Rear Window Defroster	•
Power Windows with Auto Up/Down for All Windows	•
Window Jam Protection	•
INTERIOR LIGHTING	
Ambient Lighting	^
POWERTRAIN & MECHANICAL	
BRAKES	
Rear Disc Brakes	•
Electric Parking Brake (EPB)	•
Front Disc Brakes	•
ENGINE	
Active Sound Control	•
Lexus Hybrid Drive	•
Super Ultra Low Emissions Vehicle (SULEV)	•
Variable Valve Timing with Intelligence Electrically Driven on Intake Cam (VVT-iE)	•
Variable Valve Timing with Intelligence on Exhaust Cam (VVT-i)	•
2.5 Litre 4-cylinder DOHC 16-Valve	•
MECHANICAL FEATURES	
EV Mode	•
Hill-start Assist Control (HAC)	•
STEERING MECHANICAL	
Electric Power Steering (EPS)	•
SUSPENSION	
Sport-tuned Suspension	^

EXPLORE

(\$) BUILD & PRICE

STANDARD SPECIFICATIONS Standard — Not Available ^ Available	ES 300h	
Adaptive Variable Suspension (AVS)	^	
Front and Rear Stabilizer Bar	•	
TRANSMISSION		
Sequential Shift Mode	•	
Paddle Shifters	•	
SAFETY & CONVENIENCE		
CONVENIENCE		
Garage Door Opener	•	
Front & Rear Cup Holders	•	
Wireless Charger	•	
Driver's Coin Case Compartment	•	
Short Range Key Fob Remote Start (requires active DCM)	•	
Smart Key System w/Push Button Start	•	
Sun Visor with Mirror	•	
Power Rear Window	^	
Wallet Size Smart Key	^	
Rear Door Sunshade	^	
Power Open/Close Trunk with Kick Sensor	^	
LEXUS SAFETY SYSTEM+ 2.5		
Automatic High Beam	•	
Pre-Collision System with Pedestrian Detection and Bicycle Detection	•	
Lane Departure Alert with Steering Assist	•	
Lane Tracing Assist	•	
Left Turn Intersection Support	•	
Front-to-Front Risk Detection	•	
Dynamic Radar Cruise Control	•	
SAFETY		
Child Protector Rear Door Locks	•	
Front Seat Side Airbags	•	
Rear Seat Side Airbags	•	
Panoramic View Monitor	^	
Front and Rear Side Curtain Shield Airbags	•	
Driver and Front Passenger Knee Airbags	•	
Driver & Passenger Airbag Supplemental Restraint System (SRS)	•	
Blind Spot Monitor with RCTA	•	
Backup Camera with Back Guide Monitor	•	
Intuitive Parking Assist with Auto Braking	•	

EXPLORE

(\$) BUILD & PRICE

COMPETITIVE COMPARISON

STANDARD	SPECIFICATIONS

Standard — Not Available Available Standard — Not Available Available	E\$ 300h
STAR SAFETY SYSTEM	
Star Safety System: Vehicle Stability Control (VSC)	•
Star Safety System: Anti-lock Brake System (ABS)	•
Star Safety System: Traction Control (TRAC)	•
Star Safety System: Electronic Brake Force Distribution (EBD)	•
Star Safety System: Brake Assist (BA)	•
WARNING	
Tire Pressure Monitoring System with Auto Location	•

DIMENSIONS

DIMENSIONS

Drivestain FWD Number Opinders 4 Body Type 4D Horsepower (W) 215 (160) Fuel Capacity ikres (gal.) 50 (13) Fuel Capacity ikres (gal.) 5.55 28.3 Length mm (in.) 4976 (195.8) Width mm (in.) 1885 (73.4) Height rmm (in.) 1445 (66.9) Ground Clearance mm (in.) 150 (5.9) Seating Capacity 5 Airbags 10 Front Headroom mm (in.) 953 (37.5) Rear Headroom mm (in.) 950 (37.4) Front Legroom mm (in.) 1077 (42.4) Rear Legroom mm (in.) 1077 (42.4) Rear Legroom mm (in.) 1420 (56.9) Rear Legroom mm (in.) 1372 (64) Cargo Capacity L (ui. Pi.) 334 (13.9) Gross Vehicle Room mm (in.) 1872 (64) Cargo Capacity L (ui. Pi.) 34 (13.9) Gross Vehicle Weight kg (tib.) 1680 02 (370.8) Approach Angle (Degrees) 34 Departure Angle (Degrees) 34 Number of Tires 5 </th <th>Transmission</th> <th>CVT</th> <th></th>	Transmission	CVT	
Body Type 4D Horsepower (WW) 215 (160) Fuel Capacity litres (gal.) 50 (13) Fuel Consumption - City-Highway/Combined L/100km 5.55.2/5.3 Langth mm (in.) 4675 (195.8) Width mm (in.) 1865 (73.4) Height mm (in.) 1445 (56.9) Ground Clearance mm (in.) 150 (5.9) Seating Capacity 5 Alrbags 10 Front Headroom mm (in.) 953 (37.5) Rear Headroom mm (in.) 950 (37.4) Front Legroom mm (in.) 998 (39.3) Front Shoulder Room mm (in.) 1420 (55.9) Rear Algorithm (in.) 1372 (54) Cargo Capacity L (ou. Ft.) 394 (13.9) Base Curb Weight kg (fibs.) 34 (13.9) Base Curb Weight kg (fbs.) 34 Departure Angle (Degrees) 34 Front Tread mm (in.) 1599 (62.9)	Drivetrain	FWD	
Fuel Capacity litres (gal.) 50 (13) Fuel Capacity litres (gal.) 50 (13) Fuel Consumption - City/Highway/Combined L/100km 5.555.25.3 Length mm (in.) 4975 (195.8) Width mm (in.) 1865 (73.4) Height nm (in.) 1445 (66.9) Ground Clearance mm (in.) 150 (5.3) Seating Capacity 5 For M Headroom mm (in.) 953 (37.5) Rear Headroom mm (in.) 950 (37.4) Front Legroom mm (in.) 1077 (42.4) Rear Lagroom mm (in.) 998 (39.3) Front Shoulder Room mm (in.) 1372 (64) Cargo Capacity L (ou. Ft.) 394 (13.9) Gross Vehicle Weight kg (bb.) 2150 (4739.9) Bass Curb Weight kg (bb.) 168002 (3703.8) Approach Angle (Degrees) 17 Number of Tires 5 Front Tread mm (in.) 1599 (62.9)	Number Cylinders	4	
Fuel Capacity Irries (gal.) 50 (13) Fuel Consumption - City/Highway/Combined L/100km 5.5/5.2/5.3 Length mm (in.) 4975 (195.8) Width rmm (in.) 1885 (73.4) Height mm (in.) 1445 (56.9) Ground Clearance mm (in.) 150 (5.9) Sealing Capacity 5 Airbags 10 Front Headroom mm (in.) 953 (37.5) Rear Headroom mm (in.) 950 (37.4) Front Legroom mm (in.) 1077 (42.4) Rear Legroom mm (in.) 1998 (39.3) Front Shoulder Room mm (in.) 1420 (55.9) Rear Shoulder Room mm (in.) 1372 (54) Cargo Capacity L (cu. Ft.) 394 (13.9) Gross Vehicle Weight kg (lbs) 2150 (4739.9) Base Curb Weight kg (lbs.) 16800.02 (3703.8) Approach Angle (Degrees) 34 Departure Angle (Degrees) 17 Number of Tires 5 Front Tread mm (in.) 1599 (62.9)	Body Type	4D	
Fuel Consumption - City/Highway/Combined L/100km 5.55.2/5.3 Length mm (in.) 4975 (195.8) Width mm (in.) 1985 (73.4) Height mm (in.) 11445 (56.9) Ground Clearance mm (in.) 150 (5.9) Seating Capacity 5 Airbags 10 Front Headroom mm (in.) 953 (37.5) Rear Headroom mm (in.) 950 (37.4) Front Legroom mm (in.) 1077 (42.4) Rear Legroom mm (in.) 1988 (38.3) Front Shoulder Room mm (in.) 1372 (54) Cargo Capacity L (ou. Ft.) 394 (13.9) Gross Vehicle Weight kg (ibs) 2150 (4739.9) Base Curb Weight kg (ibs.) 168002 (3703.8) Approach Angle (Degrees) 34 Departure Angle (Degrees) 17 Number of Tires 5 Front Tread mm (in.) 1559 (62.9)	Horsepower (kW)	215 (160)	
Length mm (in.) 4975 (195.8) Width mm (in.) 1865 (73.4) Height mm (in.) 1445 (66.9) Ground Clearance mm (in.) 150 (5.9) Seating Capacity 5 Airbags 10 Front Headroom mm (in.) 953 (37.5) Rear Headroom mm (in.) 950 (37.4) Front Legroom mm (in.) 1077 (42.4) Rear Legroom mm (in.) 998 (39.3) Front Shoulder Room mm (in.) 1420 (55.9) Rear Shoulder Room mm (in.) 1372 (54) Cargo Capacity L (cu. Ft.) 394 (13.9) Gross Vehicle Weight kg (lbs.) 2150 (4739.9) Base Curb Weight kg (lbs.) 1680.02 (3703.8) Approach Angle (Degrees) 34 Departure Angle (Degrees) 17 Number of Tires 5 Front Tread mm (in.) 1559 (62.9)	Fuel Capacity litres (gal.)	50 (13)	
Width mm (in.) 1865 (73.4) Height mm (in.) 1445 (56.9) Ground Clearance mm (in.) 150 (5.9) Seating Capacity 5 Airbags 10 Front Headroom mm (in.) 953 (37.5) Rear Headroom mm (in.) 950 (37.4) Front Legroom mm (in.) 1077 (42.4) Rear Legroom mm (in.) 998 (39.3) Front Shoulder Room mm (in.) 1420 (55.9) Rear Shoulder Room mm (in.) 1372 (54) Cargo Capacity L (cu. Ft.) 394 (13.9) Gross Vehicle Weight kg (bs.) 2150 (4739.9) Base Curb Weight kg (bs.) 1680.02 (3703.8) Approach Angle (Degrees) 34 Departure Angle (Degrees) 34 Number of Tires 5 Front Tread mm (in.) 1599 (62.9)	Fuel Consumption - City/Highway/Combined L/100km	5.5/5.2/5.3	
Height mm (in.) 1445 (56.9) Ground Clearance mm (in.) 150 (6.9) Seating Capacity 5 Airbags 10 Front Headroom mm (in.) 953 (37.5) Rear Headroom mm (in.) 950 (37.4) Front Legroom mm (in.) 1077 (42.4) Rear Legroom mm (in.) 998 (39.3) Front Shoulder Room mm (in.) 1420 (55.9) Rear Shoulder Room mm (in.) 1372 (54) Cargo Capacity L (cu. Ft.) 394 (13.9) Gross Vehicle Weight kg (lbs) 2150 (4739.9) Base Curb Weight kg (lbs.) 168002 (3703.8) Approach Angle (Degrees) 34 Departure Angle (Degrees) 17 Number of Tires 5 Front Tread mm (in.) 1599 (62.9)	Length mm (in.)	4975 (195.8)	
Ground Clearance mm (in.) 150 (5.9) Seating Capacity 5 Airbags 10 Front Headroom mm (in.) 953 (37.5) Rear Headroom mm (in.) 950 (37.4) Front Legroom mm (in.) 1077 (42.4) Rear Legroom mm (in.) 998 (39.3) Front Shoulder Room mm (in.) 1420 (55.9) Rear Shoulder Room mm (in.) 1372 (54) Cargo Capacity L (cu. Ft.) 394 (13.9) Gross Vehicle Weight kg (ibs) 2150 (4739.9) Base Curb Weight kg (ibs.) 1680.02 (3703.8) Approach Angle (Degrees) 34 Departure Angle (Degrees) 17 Number of Tires 5 Front Tread mm (in.) 1599 (62.9)	Width mm (in.)	1865 (73.4)	
Seating Capacity 5 Airbags 10 Front Headroom mm (in.) 953 (37.5) Rear Headroom mm (in.) 950 (37.4) Front Legroom mm (in.) 1077 (42.4) Rear Legroom mm (in.) 998 (39.3) Front Shoulder Room mm (in.) 1420 (55.9) Rear Shoulder Room mm (in.) 1372 (54) Cargo Capacity L (cu. Ft.) 394 (13.9) Gross Vehicle Weight kg (lbs) 2150 (4739.9) Base Curb Weight kg (lbs) 1680.02 (3703.8) Approach Angle (Degrees) 34 Departure Angle (Degrees) 17 Number of Tires 5 Front Tread mm (in.) 1599 (62.9)	Height mm (in.)	1445 (56.9)	
Airbags 10 Front Headroom mm (in.) 953 (37.5) Rear Headroom mm (in.) 950 (37.4) Front Legroom mm (in.) 1077 (42.4) Rear Legroom mm (in.) 998 (39.3) Front Shoulder Room mm (in.) 1420 (55.9) Rear Shoulder Room mm (in.) 1372 (54) Cargo Capacity L (cu. Ft.) 394 (13.9) Gross Vehicle Weight kg (lbs) 2150 (4739.9) Base Curb Weight kg (lbs.) 1680.02 (3703.8) Approach Angle (Degrees) 34 Departure Angle (Degrees) 17 Number of Tires 5 Front Tread mm (in.) 1599 (62.9)	Ground Clearance mm (in.)	150 (5.9)	
Front Headroom mm (in.) 953 (37.5) Rear Headroom mm (in.) 950 (37.4) Front Legroom mm (in.) 1077 (42.4) Rear Legroom mm (in.) 998 (39.3) Front Shoulder Room mm (in.) 1420 (55.9) Rear Shoulder Room mm (in.) 1372 (54) Cargo Capacity L (cu. Ft.) 394 (13.9) Gross Vehicle Weight kg (lbs) 2150 (4739.9) Base Curb Weight kg (lbs.) 1680.02 (3703.8) Approach Angle (Degrees) 34 Departure Angle (Degrees) 17 Number of Tires 5 Front Tread mm (in.) 1599 (62.9)	Seating Capacity	5	
Rear Headroom mm (in.) 950 (37.4) Front Legroom mm (in.) 1077 (42.4) Rear Legroom mm (in.) 998 (39.3) Front Shoulder Room mm (in.) 1420 (55.9) Rear Shoulder Room mm (in.) 1372 (54) Cargo Capacity L (cu. Ft.) 394 (13.9) Gross Vehicle Weight kg (lbs) 2150 (4739.9) Base Curb Weight kg (lbs.) 1680.02 (3703.8) Approach Angle (Degrees) 34 Departure Angle (Degrees) 17 Number of Tires 5 Front Tread mm (in.) 1599 (62.9)	Airbags	10	
Front Legroom mm (in.) 1077 (42.4) Rear Legroom mm (in.) 998 (39.3) Front Shoulder Room mm (in.) 1420 (55.9) Rear Shoulder Room mm (in.) 1372 (54) Cargo Capacity L (cu. Ft.) 394 (13.9) Gross Vehicle Weight kg (lbs) 2150 (4739.9) Base Curb Weight kg (lbs.) 1680.02 (3703.8) Approach Angle (Degrees) 34 Departure Angle (Degrees) 17 Number of Tires 5 Front Tread mm (in.) 1599 (62.9)	Front Headroom mm (in.)	953 (37.5)	
Rear Legroom mm (in.) 998 (39.3) Front Shoulder Room mm (in.) 1420 (55.9) Rear Shoulder Room mm (in.) 1372 (54) Cargo Capacity L (cu. Ft.) 394 (13.9) Gross Vehicle Weight kg (lbs) 2150 (4739.9) Base Curb Weight kg (lbs.) 1680.02 (3703.8) Approach Angle (Degrees) 34 Departure Angle (Degrees) 17 Number of Tires 5 Front Tread mm (in.) 1599 (62.9)	Rear Headroom mm (in.)	950 (37.4)	
Front Shoulder Room mm (in.) 1420 (55.9) Rear Shoulder Room mm (in.) 1372 (54) Cargo Capacity L (cu. Ft.) 394 (13.9) Gross Vehicle Weight kg (lbs) 2150 (4739.9) Base Curb Weight kg (lbs.) 1680.02 (3703.8) Approach Angle (Degrees) 34 Departure Angle (Degrees) 17 Number of Tires 5 Front Tread mm (in.) 1599 (62.9)	Front Legroom mm (in.)	1077 (42.4)	
Rear Shoulder Room mm (in.) 1372 (54) Cargo Capacity L (cu. Ft.) 394 (13.9) Gross Vehicle Weight kg (lbs) 2150 (4739.9) Base Curb Weight kg (lbs.) 1680.02 (3703.8) Approach Angle (Degrees) 34 Departure Angle (Degrees) 17 Number of Tires 5 Front Tread mm (in.) 1599 (62.9)	Rear Legroom mm (in.)	998 (39.3)	
Cargo Capacity L (cu. Ft.) 394 (13.9) Gross Vehicle Weight kg (lbs) 2150 (4739.9) Base Curb Weight kg (lbs.) 1680.02 (3703.8) Approach Angle (Degrees) 34 Departure Angle (Degrees) 17 Number of Tires 5 Front Tread mm (in.) 1599 (62.9)	Front Shoulder Room mm (in.)	1420 (55.9)	
Gross Vehicle Weight kg (lbs.) 2150 (4739.9) Base Curb Weight kg (lbs.) 1680.02 (3703.8) Approach Angle (Degrees) 34 Departure Angle (Degrees) 17 Number of Tires 5 Front Tread mm (in.) 1599 (62.9)	Rear Shoulder Room mm (in.)	1372 (54)	
Base Curb Weight kg (lbs.) 1680.02 (3703.8) Approach Angle (Degrees) 34 Departure Angle (Degrees) 17 Number of Tires 5 Front Tread mm (in.) 1599 (62.9)	Cargo Capacity L (cu. Ft.)	394 (13.9)	
Approach Angle (Degrees) 34 Departure Angle (Degrees) 17 Number of Tires 5 Front Tread mm (in.) 1599 (62.9)	Gross Vehicle Weight kg (lbs)	2150 (4739.9)	
Departure Angle (Degrees) 17 Number of Tires 5 Front Tread mm (in.) 1599 (62.9)	Base Curb Weight kg (lbs.)	1680.02 (3703.8)	
Number of Tires 5 Front Tread mm (in.) 1599 (62.9)	Approach Angle (Degrees)	34	
Front Tread mm (in.) 1599 (62.9)	Departure Angle (Degrees)	17	
	Number of Tires	5	
Dear Treed mm (in)	Front Tread mm (in.)	1599 (62.9)	
real Head Hill (III.) 1000 (63)	Rear Tread mm (in.)	1600 (63)	

EXPLORE

(\$) BUILD & PRICE

COMPETITIVE COMPARISON

IMPORTANT PRODUCT INFORMATION

This page contains information and product warnings for a wide variety of specifications, not all of which will be specifications that come with your selected vehicle.

Global supply issues affecting the automotive manufacturing industry are causing new vehicle delivery delays and inventory of some vehicles may be limited. Please contact your local Toyota dealer for information about availability of your preferred Toyota vehicle

* Payload Capacity is the calculation of GVWR minus curb weight and should be used for comparison purposes only. The maximum amount of passenger and cargo weight your vehicle can carry is the Load Carrying Capacity indicated on the label(s) on the driver's doorjamb.

** Due to supply chain shortages, until further notice certain 2023 models equipped with the Digital Display Rear View Mirror will be built with the Auto-Dimming Mirror instead. Please reach out to a Toyota dealership for more details.

Connected Services (general mentions)

Driving while distracted can result in loss of vehicle control. Some features may be locked out while the vehicle is in gear. To reduce risk of accident while driving, exercise care when using the systems (even with the voice commands) and obey all local laws concerning use of the systems while driving (as some laws prohibit the use of electronic devices while operating a vehicle). Once the Connected Services by Toyota trial subscription expires, paid enrollment is required. Apple CarPlay, iPhone and Siri are trademarks of Apple Inc. Android Auto and Google Assistant are trademarks of Google LLC. A compatible customer phone pairing is required and customers are responsible for all data charges. Services are dependent upon connection to a compatible wireless network, provided by a third- party wireless service provider. Toyota is not responsible for cellular network discontinuance and will not provide compensation for reduced service availability.

Remote Connect. Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start engine if vehicle is in an enclosed space or vehicle is occupied by a child). Remote Connect depends on factors outside of Toyota' control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded. Digital Key also requires Bluetooth connectivity. Service may vary by vehicle and region. Requires app download and registration/subscription after trial (if applicable). Terms of Use apply. Data charges may apply. Remote start/stop not available on manual transmission-equipped vehicles. Services subject to change at any time without notice.

Safety Connect depends on factors outside of Toyota's control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded, including access to response center and emergency support. Stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances. Requires app download/registration and subscription after trial (if applicable). Service subject to change at any time without notice. Terms of Use apply. Service may vary by vehicle and region. See usage precautions and service limitations in Owner's Manual.

Drive Connect services not available in every city or roadway.

Service Connect information provided is based on the last time data was collected from the vehicle and is not real time data. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive

Connect upon trial expiration.

Birds Eye Camera: Cold weather and other environmental factors may limit system. Operates at low speed or when parked. Do not rely exclusively on the system as it is not intended to replace safe attentive operation of the vehicle. You should also look around outside your vehicle, over your shoulder and use your mirrors to confirm clearance.

Qi Wireless charging: Qi wireless charging may not be compatible with all mobile phones, MP3/WMA players and like models. When using the wireless charging system avoid placing metal objects between the wireless charger and the mobile device when charging is active. Doing so may cause metal objects to become hot and could cause burns.

Towing Capability: Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any

Iowing Capability: Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions in your Owner's Manual. The maximum you can tow depends on base curb weight plus the total weight of any cargo, occupants, and added vehicle equipment. "Added vehicle equipment" includes additional standard/optional equipment and accessories added by the manufacturer, dealers, and /or vehicle owners. The only way to be certain of your vehicle's exact curb weight is to weigh your vehicle without passengers or cargo. Installation of a tow hitch receiver or other accessories located near the rear bumper may require disabling or removing the kick sensor, and the sensor operation setting in your vehicle should be turned off. See Owner's Manual for limitations.

Toyota Safety Sense (TSS) Drivers should always be responsible for their own safe driving. Please always pay attention to your surroundings and drive safely. Depending on the conditions of roads, vehicles, weather, etc., the TSS systems may not work as intended.

Pre-Collisions System with Pedestrian & Bicyclist Detection: The TSS Pre-Collision System is designed to help avoid or reduce the impact speed and damage in certain frontal collisions only. The Pedestrian and Bicycle Detection system is designed to detect a pedestrian and bicyclist ahead of the vehicle, determine if impact is imminent and help reduce impact speed. It is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of pedestrians and bicyclists, driver input and weather, light and road conditions. Do not overly rely on the Intuitive Intersection Support system. Always visually confirm that it is safe to proceed. System may not operate depending on the traffic conditions and intersection configuration. Intersection Support will NOT detect pedestrians crossing the road in the same direction as the vehicle. Emergency Steering Assist may not operate if an oncoming vehicle or an obstacle that would prevent a safe evasive manoeuvre are detected.

Automatic High Beam: Automatic High Beam system operates at speeds above approximately 34 km/h. Factors such as a dirty windshield, variable weather, lighting conditions and hilly terrain will limit effectiveness, requiring the driver to manually turn it off.

Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist is designed to read lane markers under certain conditions and provide visual and audible alerts and slight steering force when lane departure is detected. It is not a collision-avoidance

system or a substitute for safe and attentive driving.

Dynamic Radar Cruise Control: Dynamic Radar Cruise Control is designed to assist the driver and is not a collision-avoidance system or a substitute for safe and attentive driving practices. System effectiveness depends on many factors such as weather, traffic and road conditions.

Lane Tracing (Trace) Assist (LTA): Lane Tracing (Trace) Assist (LTA) is designed to read visible lane markers and detect other vehicles under certain conditions. When potential lane departure is detected, LTA provides a visual warning and either an audible alert or vibration in the steering wheel and can apply a slight steering force. It is not a collision-avoidance system or a substitute for safe and attentive driving. Effectiveness is dependent on many factors including road, weather and vehicle conditions.

Colours: Not all exterior and interior colour options are available for every model. Some colours are available at an additional cost. Contact your Dealer for more information.

Fuel efficiency estimates: Fuel efficiency estimates were determined using approved Government of Canada Test Methods. Actual fuel consumption will vary based on driving habits and other factors.

Blind Spot Monitor System and Rear Cross-Traffic Alert System: Do not rely exclusively on the Blind Spot Monitor System and Rear Cross-Traffic Alert System. They are not collision-avoidance systems or substitutes for safe and attentive driving. Short Range Key Fob Remote Start: Active DCM required. DCM is active during connected services trial periods or with a paid subscription for connected services. Waiving your connected services will deactivate the DCM.

Details on the above features can be found in the Owner's Manuals (available on-line at toyota.ca) or through your local Toyota Dealer and pertains specifically to vehicles sold in Canada at authorized Toyota dealerships only. Every effort has been made to ensure the specifications and equipment described are accurate based on information available at time of creation of this Product Summary. In some cases, certain changes in production capacity, standard equipment, options or product delays may occur which would not be automatically reflected in this Product Summary. Toyota Canada Inc. reserves the right to make these changes without notice or obligation. The Toyota website toyota.ca is updated regularly and it or your Toyota Dealer are your best source for up-to-date information.

Date and mileage limitations refer to whichever comes first from the date of first purchase. Warranty coverage is subject to other terms and conditions. Refer to applicable Warranty and Maintenance Guide for full details.

Ontario

EXPLORE

(\$) BUILD & PRICE

COMPETITIVE COMPARISON

MODELS



PACKAGE

Signature

• Premium



PACKAGE

Premium

- F SPORT DESIGN
- F SPORT 2
- Black Line Special Edition
- Ultra Luxury

AVAILABLE EXTERIOR COLOURS



Caviar

Caviai

Eminent White Pearl

Nightfall Mica

Moonbeam Beige Metallic

Sunlit Green

Cloudburst Grey

Matador Red Mica

Ultra White

AVAILABLE INTERIOR COLOURS

Black NuLuxe™

Diadit Hazane

Palomino with Brown Open-Pore Wood Trim Semi-Aniline Leather

. Circuit Red with Hadori Aluminum Trim F SPORT NuLuxe™ Palomino with Brown Open-Pore Wood Trim NuLuxe™

Black with Black Open-Pore Wood Trim Semi-Aniline Leather

Black with Hadori Aluminum Trim F SPORT NuLuxe™

Black with Black Open-Pore Wood Trim NuLuxe™

Macadamia with Ash Bamboo Trim Semi-Aniline Leather







EXPLORE

(\$) BUILD & PRICE

COMPETITIVE COMPARISON

OPTIONAL PACKAGES

ES 250 AWD

PREMIUM

- Power Folding Mirrors
- · Windshield Wiper Deicer
- Lexus Interface with Safety Connect (up to 10 yr. trial), Service Connect (up to 10 yr. trial), Remote Connect (3 yr. trial) and Drive Connect (3 yr. trial)
- · Power Tilt & Telescopic Steering with Memory
- Wireless Charger

- · Memory Mirrors
- · Rain Sensing Wipers
- Auto-Dimming Rear View Mirror
- · Wood Steering Wheel
- Intuitive Parking Assist with Auto Braking

- Reverse Auto Tilt Mirrors
- 12.3" Touch Screen
- Lexus Driver Memory System
- Wood Door Trim

ES 350

F SPORT DESIGN

Colour-keyed Rear Spoiler

- F SPORT 2
- · Colour-keyed Rear Spoiler
- P235/40R19
- 17 Speakers
- F SPORT Nuluxe[™] Seats
- Aluminum Door Trim
- Adaptive Variable Suspension (AVS)
- BLACK LINE SPECIAL EDITION
- Black Rear Spoiler
- Premium Triple-Beam LED Headlamps
- P235/40R19
- 17 Speakers
- 8-in. colour TFT Multi Information Display
- F SPORT Shift Knob
- Sport-tuned Suspension
- ULTRA LUXURY
- Panoramic Moonroof
- P235/45R18
- Mark Levinson Premium Surround Sound Audio System
- Ambient Lighting
- Drivers Seat Power Cushion Extender
- Wallet Size Smart Key
- Rear Pedestrian Detection

- P235/40R19
- Adaptive Front Lighting System19" F SPORT Alloy Wheels
- 10-in. color Head-Up Display (HUD) with customizable settings
- 3-Spoke F SPORT Steering Wheel
- Active Sound Control
- · Panoramic View Monitor
- Black Side Molding
- Black Side Mirrors
- 19" F SPORT Alloy Wheels
- Unique Floor Mats
- F SPORT Nuluxe[™] Seats
- Unique Interior Trim
- Adaptive Variable Suspension (AVS)
- Adaptive Front Lighting System
- 18" Alloy Wheels
- 17 Speakers
- Semi-Aniline Leather Seats
- · Rear Door Sunshade
- Power Open/Close Trunk with Kick Sensor

- 19" F SPORT Alloy Wheels
- Premium Triple-Beam LED Headlamps
- Mark Levinson Premium Surround Sound Audio System
- 8-in. colour TFT Multi Information Display
- F SPORT Shift Knob
- Sport-tuned Suspension
- Adaptive Front Lighting System
- F SPORT Puddle Lamps
- Mark Levinson Premium Surround Sound Audio System
- 10-in. color Head-Up Display (HUD) with customizable settings
- 3-Spoke F SPORT Steering Wheel
- Active Sound Control
- Panoramic View Monitor
- Premium Triple-Beam LED Headlamps
- Noise Reduction Wheels
- 10-in. color Head-Up Display (HUD) with customizable settings
- 4-way Power Adjustable Driver Seat Lumbar Support
- Power Rear Window
- Panoramic View Monitor

EXPLORE

(\$) BUILD & PRICE

COMPETITIVE COMPARISON

STANDARD SPECIFICATIONS Standard — Not Available ^ Available	ES 250 AWD	ES 350
EXTERIOR		
EXTERIOR		
Power Slide / Tilt Moonroof	•	•
Colour-keyed Rear Spoiler	-	^
Panoramic Moonroof	-	^
Black Rear Spoiler	-	^
Black Side Molding	-	^
EXTERIOR LIGHTING		
Bi-Beam LED Headlamps	•	•
Daytime Running Lights	•	•
LED Rear Combination Lamps	•	•
Adaptive Front Lighting System	-	^
Premium Triple-Beam LED Headlamps	-	^
EXTERIOR MIRRORS		
Foldable Exterior Mirrors	•	-
Power Folding Mirrors	^	•
Memory Mirrors	^	•
Reverse Auto Tilt Mirrors	^	•
Black Side Mirrors	•	^
F SPORT Puddle Lamps	-	^
TIRES		
P215/55R17	•	•
T155/70D17	•	•
Temporary Spare Tire	•	•
P235/40R19	-	^
P235/45R18		^
WHEELS		
17" Alloy Wheels	•	•
Wheel Locks	•	•
19" F SPORT Alloy Wheels	-	^
18" Alloy Wheels	-	^
Noise Reduction Wheels	-	^
WIPERS		
Windshield Wiper Deicer	^	•
Rain Sensing Wipers	^	•

INFOTAINMENT

EXPLORE

(5) BUILD & PRICE

STANDARD SPECIFICATIONS ● Standard — Not Available ^ Available	ES 250 AWD	ES 350
ENFORM AUDIO		
10 Speakers	•	•
2 USB Audio Inputs	•	•
Audio Auxiliary Input Jack	•	•
Bluetooth Capability	•	•
Shark Fin Antenna	•	•
SiriusXM Satellite Radio	•	•
8" Touch Screen	•	-
12.3" Touch Screen	^	•
Mark Levinson Premium Surround Sound Audio System	-	^
17 Speakers	-	^
LEXUS INTERFACE		
Wireless Apple CarPlay Compatability	•	•
Wireless Android Auto Compatability	•	•
Lexus Assistant	•	•
Lexus Interface with Safety Connect (up to 10 yr. trial), Service Connect (up to 10 yr. trial), Remote Connect (3 yr. trial) and Drive Connect capable (paid subscription required)	•	- -
Lexus Interface with Safety Connect (up to 10 yr. trial), Service Connect (up to 10 yr. trial), Remote Connect (3 yr. trial) and Drive Connect (3 yr. trial)	^	•
INTERIOR		
CLIMATE CONTROL		
Rear Passenger Vents	•	•
Dual-zone Automatic Climate Control	•	•
Dust, Pollen, Deodorizing Air Filter	•	•
INSTRUMENTATION		
7" Multi-information Display (MID)	•	•
10-in. color Head-Up Display (HUD) with customizable settings		^
8-in. colour TFT Multi Information Display	-	^
INTERIOR MIRRORS		
Auto-Dimming Rear View Mirror with Compass	•	-
Auto-Dimming Rear View Mirror	^	•
SEATS		
8-way Power Adjustable Drivers Seat	•	•
8-way Power Adjustable Passenger Seat	•	•
NuLuxe™ Seats	•	•
Heated Front Seats	•	•
Healed Front Seals		

EXPLORE

(5) BUILD & PRICE

STANDARD SPECIFICATIONS Standard — Not Available ^ Available	ES 250 AWD	ES 350
2-way Power Adjustable Driver and Passenger Lumbar Support	•	•
Lexus Driver Memory System	^	•
Semi-Aniline Leather Seats	-	^
4-way Power Adjustable Driver Seat Lumbar Support	-	^
Drivers Seat Power Cushion Extender	-	^
F SPORT Nuluxe™ Seats	-	^
STEERING WHEEL		
Tilt & Telescopic Steering Wheel	•	
Leather Wrapped Steering Wheel	•	•
Heated Steering Wheel	•	•
Power Tilt & Telescopic Steering with Memory	^	•
Wood Steering Wheel	^	•
3-Spoke F SPORT Steering Wheel	-	^
STORAGE		
Synthetic Leather Console Box Lid	•	•
TRIM		
Scuff Plates	•	•
Leather Wrapped Shift Knob	•	•
Wood Door Trim	^	•
F SPORT Shift Knob	-	^
Unique Interior Trim	-	^
Aluminum Door Trim	-	^
WINDOWS		
Rear Window Defroster	•	•
Power Windows with Auto Up/Down for All Windows	•	•
Window Jam Protection	•	•
INTERIOR LIGHTING		
Ambient Lighting	-	^
FLOORING		
Unique Floor Mats		^
POWERTRAIN & MECHANICAL		
BRAKES		
Rear Disc Brakes	•	•
Electric Parking Brake (EPB)	•	•
Front Disc Brakes	•	•
ENGINE		

EXPLORE

(5) BUILD & PRICE

Direct Injection	•	•
Active Sound Control	•	^
Variable Valve Timing with Intelligence Electrically Driven on Intake Cam (VVT-iE)	•	-
2.5 Litre 4-cylinder DOHC 16-Valve	•	-
Dual Variable Valve Timing with intelligence (VVT-i)	-	•
Dual Exhaust	-	•
Variable Valve Timing with Intelligence Wide on Intake Cam (VVT-iW)	-	•
Acoustic Control Induction System (ACIS)	-	•
3.5L V6 DOHC 32-Valve	-	•
MECHANICAL FEATURES		
Drive Mode Select	•	-
Hill-start Assist Control (HAC)	•	•
STEERING MECHANICAL		
Electric Power Steering (EPS)	•	•
SUSPENSION		
Front and Rear Stabilizer Bar	•	•
Sport-tuned Suspension	-	^
Adaptive Variable Suspension (AVS)	-	^
TRANSMISSION		
Sequential Shift Mode	•	•
Paddle Shifters	•	•
SAFETY & CONVENIENCE		
CONVENIENCE		
Garage Door Opener	•	•
Front & Rear Cup Holders	•	•
Short Range Key Fob Remote Start (requires active	•	•
DCM) Smart Key System w/Push Button Start	•	•
Sun Visor with Mirror	•	•
Wireless Charger	^	•
Rear Door Sunshade	-	^
Power Rear Window	-	^
Wallet Size Smart Key	-	^
Power Open/Close Trunk with Kick Sensor	-	^
LEXUS SAFETY SYSTEM+ 2.5		
Automatic High Beam	•	•
Pre-Collision System with Pedestrian Detection and Bicycle Detection	•	•
Dispose Detection		

EXPLORE

(\$) BUILD & PRICE

COMPETITIVE COMPARISON

● Standard — Not Available	ES 250 AWD	ES 350
Lane Departure Alert with Steering Assist	•	•
Lane Tracing Assist	•	•
Left Turn Intersection Support	•	•
Front-to-Front Risk Detection	•	•
Dynamic Radar Cruise Control	•	•
SAFETY		
Child Protector Rear Door Locks	•	•
Front Seat Side Airbags	•	•
Rear Seat Side Airbags	•	•
Front and Rear Side Curtain Shield Airbags	•	•
Driver and Front Passenger Knee Airbags	•	•
Driver & Passenger Airbag Supplemental Restraint System (SRS)	•	•
Blind Spot Monitor with RCTA	•	•
Backup Camera with Back Guide Monitor	•	•
Intuitive Parking Assist with Auto Braking	^	•
Panoramic View Monitor	-	^
Rear Pedestrian Detection	-	^
STAR SAFETY SYSTEM		
Star Safety System: Vehicle Stability Control (VSC)	•	•
Star Safety System: Anti-lock Brake System (ABS)	•	•
Star Safety System: Traction Control (TRAC)	•	•
Star Safety System: Electronic Brake Force Distribution (EBD)	•	•
Star Safety System: Brake Assist (BA)	•	•
WARNING		
Tire Pressure Monitoring System with Auto Location	•	•

DIMENSIONS

DIMENSIONS

Transmission	Direct Shift 8AT	Direct Shift 8AT
Drivetrain	AWD	FWD
Number Cylinders	4	6
Body Type	4D	4D
Horsepower (kW)	203 (152) @ 6600	302 (225) @ 6600
Fuel Capacity litres (gal.)	55 (15)	60 (16)
Fuel Consumption - City/Highway/Combined L/100km	9.6/7/8.4	10.7/7.3/9.2
Length mm (in.)	4974 (195.8)	4974 (195.8)
Width mm (in.)	1865 (73.4)	1865 (73.4)
Height mm (in.)	1445 (56.9)	1445 (56.9)

EXPLORE

(\$) BUILD & PRICE

COMPETITIVE COMPARISON

STANDARD SPECIFICATIONS

● Standard — Not Available Available	ES 250 AWD	ES 350
Wheelbase mm (in.)	2871 (113)	2871 (113)
Ground Clearance mm (in.)	150 (5.9)	150 (5.9)
Seating Capacity	5	5
Airbags	10	10
Front Headroom mm (in.)	953 (37.5)	953 (37.5)
Rear Headroom mm (in.)	958 (37.7)	958 (37.7)
Front Legroom mm (in.)	1077 (42.4)	1077 (42.4)
Rear Legroom mm (in.)	996 (39.2)	996 (39.2)
Front Shoulder Room mm (in.)	1420 (55.9)	1420 (55.9)
Rear Shoulder Room mm (in.)	1379 (54.3)	1379 (54.3)
Cargo Capacity L (cu. Ft.)	394 (13.9)	394 (13.9)
Gross Vehicle Weight kg (lbs)	2150 (4739.9)	2150 (4739.9)
Payload(GVWR-curb weight) kg (lbs.)	455 (1003)	455 (1003)
Base Curb Weight kg (lbs.)	1695 (3736.8)	1655 (3648.6)
Approach Angle (Degrees)	34	34
Departure Angle (Degrees)	57	57
Number of Tires	5	5

EXPLORE

(\$) BUILD & PRICE

COMPETITIVE COMPARISON

IMPORTANT PRODUCT INFORMATION

This page contains information and product warnings for a wide variety of specifications, not all of which will be specifications that come with your selected vehicle.

Global supply issues affecting the automotive manufacturing industry are causing new vehicle delivery delays and inventory of some vehicles may be limited. Please contact your local Toyota dealer for information about availability of your preferred Toyota vehicle

* Payload Capacity is the calculation of GVWR minus curb weight and should be used for comparison purposes only. The maximum amount of passenger and cargo weight your vehicle can carry is the Load Carrying Capacity indicated on the label(s) on the driver's doorjamb.

** Due to supply chain shortages, until further notice certain 2023 models equipped with the Digital Display Rear View Mirror will be built with the Auto-Dimming Mirror instead. Please reach out to a Toyota dealership for more details.

Connected Services (general mentions)

Driving while distracted can result in loss of vehicle control. Some features may be locked out while the vehicle is in gear. To reduce risk of accident while driving, exercise care when using the systems (even with the voice commands) and obey all local laws concerning use of the systems while driving (as some laws prohibit the use of electronic devices while operating a vehicle). Once the Connected Services by Toyota trial subscription expires, paid enrollment is required. Apple CarPlay, iPhone and Siri are trademarks of Apple Inc. Android Auto and Google Assistant are trademarks of Google LLC. A compatible customer phone pairing is required and customers are responsible for all data charges. Services are dependent upon connection to a compatible wireless network, provided by a third- party wireless service provider. Toyota is not responsible for cellular network discontinuance and will not provide compensation for reduced service availability.

Remote Connect. Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start engine if vehicle is in an enclosed space or vehicle is occupied by a child). Remote Connect depends on factors outside of Toyota' control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded. Digital Key also requires Bluetooth connectivity. Service may vary by vehicle and region. Requires app download and registration/subscription after trial (if applicable). Terms of Use apply. Data charges may apply. Remote start/stop not available on manual transmission-equipped vehicles. Services subject to change at any time without notice.

Safety Connect depends on factors outside of Toyota's control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded, including access to response center and emergency support. Stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances. Requires app download/registration and subscription after trial (if applicable). Service subject to change at any time without notice. Terms of Use apply. Service may vary by vehicle and region. See usage precautions and service limitations in Owner's Manual.

Drive Connect services not available in every city or roadway.

Service Connect information provided is based on the last time data was collected from the vehicle and is not real time data. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive

Connect upon trial expiration.

Birds Eye Camera: Cold weather and other environmental factors may limit system. Operates at low speed or when parked. Do not rely exclusively on the system as it is not intended to replace safe attentive operation of the vehicle. You should also look around outside your vehicle, over your shoulder and use your mirrors to confirm clearance.

Qi Wireless charging: Qi wireless charging may not be compatible with all mobile phones, MP3/WMA players and like models. When using the wireless charging system avoid placing metal objects between the wireless charger and the mobile device when charging is active. Doing so may cause metal objects to become hot and could cause burns.

Towing Capability: Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any

Towing Capability: Before towing, confirm your vehicle and trailer are compatible, nooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions in your Owner's Manual. The maximum you can tow depends on base curb weight plus the total weight of any cargo, occupants, and added vehicle equipment. "Added vehicle equipment" includes additional standard/optional equipment and accessories added by the manufacturer, dealers, and /or vehicle owners. The only way to be certain of your vehicle's exact curb weight is to weigh your vehicle without passengers or cargo. Installation of a tow hitch receiver or other accessories located near the rear bumper may require disabling or removing the kick sensor, and the sensor operation setting in your vehicle should be turned off. See Owner's Manual for limitations.

Toyota Safety Sense (TSS) Drivers should always be responsible for their own safe driving. Please always pay attention to your surroundings and drive safely. Depending on the conditions of roads, vehicles, weather, etc., the TSS systems may not work as intended.

Pre-Collisions System with Pedestrian & Bicyclist Detection: The TSS Pre-Collision System is designed to help avoid or reduce the impact speed and damage in certain frontal collisions only. The Pedestrian and Bicycle Detection system is designed to detect a pedestrian and bicyclist ahead of the vehicle, determine if impact is imminent and help reduce impact speed. It is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of pedestrians and bicyclists, driver input and weather, light and road conditions. Do not overly rely on the Intuitive Intersection Support system. Always visually confirm that it is safe to proceed. System may not operate depending on the traffic conditions and intersection configuration. Intersection Support will NOT detect pedestrians crossing the road in the same direction as the vehicle. Emergency Steering Assist may not operate if an oncoming vehicle or an obstacle that would prevent a safe evasive manoeuvre are detected.

Automatic High Beam: Automatic High Beam system operates at speeds above approximately 34 km/h. Factors such as a dirty windshield, variable weather, lighting conditions and hilly terrain will limit effectiveness, requiring the driver to manually turn it off.

Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist is designed to read lane markers under certain conditions and provide visual and audible alerts and slight steering force when lane departure is detected. It is not a collision-avoidance

system or a substitute for safe and attentive driving.

Dynamic Radar Cruise Control: Dynamic Radar Cruise Control is designed to assist the driver and is not a collision-avoidance system or a substitute for safe and attentive driving practices. System effectiveness depends on many factors such as weather, traffic and road conditions.

Lane Tracing (Trace) Assist (LTA): Lane Tracing (Trace) Assist (LTA) is designed to read visible lane markers and detect other vehicles under certain conditions. When potential lane departure is detected, LTA provides a visual warning and either an audible alert or vibration in the steering wheel and can apply a slight steering force. It is not a collision-avoidance system or a substitute for safe and attentive driving. Effectiveness is dependent on many factors including road, weather and vehicle conditions.

Colours: Not all exterior and interior colour options are available for every model. Some colours are available at an additional cost. Contact your Dealer for more information.

Fuel efficiency estimates: Fuel efficiency estimates were determined using approved Government of Canada Test Methods. Actual fuel consumption will vary based on driving habits and other factors.

Blind Spot Monitor System and Rear Cross-Traffic Alert System: Do not rely exclusively on the Blind Spot Monitor System and Rear Cross-Traffic Alert System. They are not collision-avoidance systems or substitutes for safe and attentive driving. Short Range Key Fob Remote Start: Active DCM required. DCM is active during connected services trial periods or with a paid subscription for connected services. Waiving your connected services will deactivate the DCM.

Details on the above features can be found in the Owner's Manuals (available on-line at toyota.ca) or through your local Toyota Dealer and pertains specifically to vehicles sold in Canada at authorized Toyota dealerships only. Every effort has been made to ensure the specifications and equipment described are accurate based on information available at time of creation of this Product Summary. In some cases, certain changes in production capacity, standard equipment, options or product delays may occur which would not be automatically reflected in this Product Summary. Toyota Canada Inc. reserves the right to make these changes without notice or obligation. The Toyota website toyota.ca is updated regularly and it or your Toyota Dealer are your best source for up-to-date information.

Date and mileage limitations refer to whichever comes first from the date of first purchase. Warranty coverage is subject to other terms and conditions. Refer to applicable Warranty and Maintenance Guide for full details.